ELSEVIER

Microporous and Mesoporous Materials 20 (1998) 405–406

MICROPOROUS AND MESOPOROUS MATERIALS

# Author Index

Babić-Ivančić, V., 267
Beck, L.W., 361
Bertram, R., 39, 131
Bradley, S.M., 13
Budd, P.M., 305
Busca, G., 79

Chen, L.Y., 323
Chin, C.S., 21
Chong, P.J., 21
Chuah, G.K., 323
Čižmek, A., 267

Davis, M.E., 347, 361
de Haan, J.W., 313
de la Puente, G., 51, 251
Drago, R.S., 189

Emig, G., 281
Engelhardt, G., 369

Fricke, R., 39, 131

Gabelica, Z., 141
Geilfuss, J.S., 229
Gérard, J., 141
Gessner, W., 131
Gil, A., 51
Gonzalez, R.D., 179
Grange, P., 51
Gutiérrez-Alejandre, A., 79

Haranath, D., 63
Heidler, R., 1
Howe, R.F., 13
Huang, Y., 341

Iwasaki, A., 71

Jaenicke, S., 323
Jafar, J.J., 305
Janssens, G.O.A., 1
Jaroniec, M., 93
Jiang, Z., 341

Kassel, W., 189
Kawakami, Y., 71
Kevan, L., 21, 107
Khodabandeh, S., 347
Kim, J.M., 93
Klemm, E., 281
Komatsu, T., 25
Kosanović, C., 261
Kraaijveld, G.J.C., 313
Kralj, D., 267
Kruk, M., 93

Lambert, C.K., 179
Lee, C.W., 21
Lee, Y.C., 21
Liu, P., 149
Lohse, U., 39
Lu, P., 361
Lutz, W., 131

Mal, N.K., 331
Matsufuji, T., 293
Matsukata, M., 293
Moreno, S., 197
Mortier, W.J., 1
Müller, D., 39

Nakajima, Y., 71
Nakata, S.-i., 25
Nishiyama, N., 293

Pajonk, G.M., 63
Parlitz, B., 39
Pitsch, I., 131
Poncelet, G., 197
Prakash, A.M., 107
Prasad, S., 123

Rajamohanan, P.R., 331
Ramaswamy, A.V., 331
Ramaswamy, V., 331
Ramírez, J., 79
Rees, L.V.C., 117, 223
Ryoo, R., 93

Sano, T., 71
Sayari, A., 149
Schoonheydt, R.A., 1
Schreier, E., 39
Sedran, U.A., 251
Shibata, M., 141
Shouji, H., 25
Soga, K., 71
Subotić, B., 261
Subotica, B., 267

Tonejc, A., 267
Trombetta, M., 79

Ueyama, K., 293

van Breukelen, H.F.W.J., 313
van de Ven, L.J.M., 313
van Hooff, J.H.C., 313
Venkateswara Rao, A., 63

Wagh, P.B., 63
Wang, Z.B., 71
Wasowicz, T., 107
Weber, W.P., 361
Wu, P., 25

Yang, Y., 117, 223
Yashima, T., 25
Yuen, L.-T., 229

Zones, S.I., 229

ELSEVIER

Microporous and Mesoporous Materials 20 (1998) 407–408

MICROPOROUS AND MESOPOROUS MATERIALS

# Subject Index

Ab initio, 177
Acidity, 177, 307
Acid sites, 283
Adsorbent, 101
Aerogel, 53
$^{27}$Al MAS NMR, 317
$^{27}$Al NMR, 247
$Al_2O_3$–$ZrO_2$, 293
$AlPO_4$-11, 39
$AlPO_4$-5, 129
Alumino-silicate, 259
Aluminophosphate molecular sieves, 207
Aluminophosphates, 349
Aluminosilicate hydrogels, 161
Aluminum-pillared clays, 317
Ammonia, 187
Ammonium, 119
Anion exchange, 339
Aza-crown ether, 197

Ball milling, 107
Beta zeolite, 87

Cation exchange, 119
Cation site, 269
Characterization, 293
Charge matching, 371
Chemical composition, 161
$^{13}$C NMR, 247
Clay–organic complex, 17
Clinoptilolite–heulandite, 269
Cloverite, 39
CoAPO-5, 217
CoAPSO-5, 217
Condensation phenomenon, 129
Conventional hydrothermal, 39
Crystal structure, 77
Cu–Cu clusters, 259

Di-*n*-propylamine, 349
Distribution of Na, Si, Al, 161

Electronic spin resonance, 93
Epoxidation, 107
ESR, 355

Faujasite, 149
Ferrisilicate, 139
FT-IR spectroscopy, 307
FTIR, 363

Gallium cobalt phosphate, 371

HDS supports, 17
Heat of ammonia adsorption, 177
Heavy metal, 101
Hectorite clay, 17
Hydrodesulfurization, 17
Hydrogen bonding, 371
Hydrogen influence, 217
Hydrothermal synthesis, 45, 77, 87, 197

Indium, 87
Infrared, 149, 187
Inorganic, 333
In situ electron spin resonance, 207
In situ methods, 349
In situ Mössbauer study, 45
Internal anodizing, 333
Intraparticle porosity, 53
Iron, 139
Iron-containing mordenite, 139
IR spectroscopy, 269, 283
Isomorphous iron substitution, 207
Isomorphous substitution, 139

Layered double hydroxides, 339
Lead, 119
Levynite, 247
Ligand stabilization, 355
Liquid phase, 161

Magnetic properties, 45
MAS NMR spectroscopy, 363
Mazzite, 283
MCM-41 molecular sieves, 67

Membrane, 333
Mercury, 101
Mesopores, 17
Mesoporous, 53, 101
Mesoporous aluminophosphate, 93
Methanol conversion, 217
MFI, 259
Microporous manganese oxides, 3
Microporous materials, 27
Microwave-hydrothermal, 39
Microwave synthesis, 3, 207
Mixed oxides, 293
Molecular sieve, 93
Molecular sieves, 217
Montmorillonite, 187
Mordenite, 139
Mössbauer spectroscopy, 207

$N_2$ adsorption data, 317
Nanostructure, 27
Natural zeolites, 269
$NH_3$-stepwise temperature programmed desorpti, 307
NMR, 27
NNN model, 177

OH groups, 283
Open framework, 197
Open framework iron phosphate, 45
Organic medium, 317
Oxyfluorinated gallium phosphate, 197
Oxyfunctionalization, 107

Photoluminescence, 67
Pillars, 187
$^{31}$P MAS NMR spectroscopy, 197
Polymer-clays, 17
Polyoxometalate pillaring, 339
Porous alumina, 333
Porous clay heterostructure, 101
Powder diffraction, 349
Proton affinity, 177

Raman, 149
$Rh^{2+}$-sites, 355
RhZSM-5, 355

Sedimentary chabazite, 119
Silica, 53
Simulation, 269
$^{29}$Si MAS NMR, 317
$^{29}$Si NMR, 247
Sodalite, 149, 371
Solid phase, 161
Solution enthalpy, 259
Surface reaction, 187
Surfactant-templated, 53
Symmetry templating, 371
Synthesis, 39, 247
Synthetic meixnerite-like materials, 339
Synthetic todorokite, 3

Thermal decomposition, 339
Titanium silicalite, 107
TPD, 363
Trimethyl phosphite, 363
Tubular, 333

Vanadium, 93
Vibration modes, 269

Water sorption, 129

X-ray absorption spectroscopy, 27
XRD, 317

$\beta$-Zeolite, 307
Zeolite, 39
Zeolites, 149, 349
Zinc galloarsenate, 371
Zinc gallophosphate, 371
Zirconium arsenate, 77
ZSM-5, 363